

# Energo-medical Expert Opinion on the MASTER CHIP

(Summary of a blind study with 20 subjects and 3 test series)

The action of the MASTER CHIP was investigated in a study with 20 subjects of different genders and ages using three different diagnostic methods (meridian diagnostic, segmental diagnostic and heart rate variability). The tests examined the response of the subjects to

a) **mobile telephone radiation** (electrosmog) with and without **MASTER CHIP**

b) **natural radioactivity** (two blocks of pitchblende [alpha waves])

with and without **MASTER CHIP** (see over for results)

The tests were conducted at the Holistic Center in Prien, Germany, and the Integrated Medicine practice in Herisau, Switzerland, as a single-blind study.

**With regard to the response of the subjects to mobile telephone radiation we can make the following statements:**

- The investigated **MASTER CHIP**, developed by the firm FOSTAC, effected an improvement in the energo-medical criteria of energy and information, which are significantly degraded by the electrosmog of mobile telephones. In statistical terms, the results are significant to highly significant. The criteria of vegetative balance and stress tolerance were influenced in the sense of neutralisation. The **MASTER CHIP** has a similar effect in case of exposure to natural radioactivity.

Criteria in %	without MASTER CHIP	with MASTER CHIP
Vital energy	- 12,2	+ 8,6
Harmony	- 14,7	+ 10,5
Organ function	- 11,2	+ 7,5
Connective tissue density	- 5,7	+ 4,0
Tension/relaxation radio	- 4,2	+ 3,0
Stress index	- 105	+ 132

**Summary of average values related to mobile telephone radiation** (all three methods, with two parameters each)

- Telephone conversations conducted with a mobile telephone **without MASTER CHIP** reduced organ functions and caused an increase in the viscosity of the active connective tissue or the matrix. **With the MASTER CHIP** (held in the user's hands) these biological effects were not only neutralised; they were converted into positive effects.
- This means that positive bio-energo-informational effects can be attributed to the **MASTER CHIP** It is suitable for neutralising or reharmonising the disharmony in the human body caused by electrosmog and mobile telephone radiation.

**With regard to the response of the subjects to low doses of natural radioactivity, we can make the following statements:**

- The **MASTER CHIP** (with two chips glued together to boost effectiveness) is able to harmonise natural radioactivity at low dose levels, here in the sense of reducing the stimulating and stressful effects of pitchblende on the organism.  
It can also positively influence radon and radium with regard to their exogenic effects (without incorporation).

Criteria in %	without MASTER CHIP	with MASTER CHIP
Vital energy	+ 1,9	- 3,7
Harmony	+ 2,5	- 4,6
Organ function	+ 3,2	+ 1,3
Connective tissue density	+ 2,6	+ 1,7
Tension/relaxation ratio	+ 1,5	+ 0,5
Stress index	- 20,0	+ 35,0

**Summary of average values related to natural radioactive radiation** (all three methods, with two parameters each)

**Explanatory remark on this table:**

As the waves/particles of radionuclides (such as uranium, radon and radium) have higher energy or frequency than the human body made from carbon and hydrogen (resulting in a considerable increase in the risk factor in case of incorporation, contact of the human body with this sort of radiation leads to regulatory system responses in the form of a stress state that stimulates the organism (acute stress). The body starts fighting against this disharmonising vibration. A persistent state of stress is harmful to health and leads to exhaustion. Consequently, the **MASTER CHIP** apparently counter the «biological effects» of radioactivity, which means that the effects of radioactivity on the human body are «absorbed» at the energy level. The unnatural excited state is returned to normal.

**Additional explanations:**

The stress index in the above table shows a negative value with respect to the RHO Rod study in April 2011 despite contact with natural radioactivity, which however was harmonised by the counteraction of the **MASTER CHIP**. The reason for this is that the RHO Rod study was carried out immediately after the disaster in Fukushima (March 2011). Up to that time the human organism had scarcely been confronted with radioactivity. Contact with it produced stress, and the organism exhibited elevated levels as a counter-reaction. As the organism cannot live with prolonged stress, it increasingly rejects this stress and becomes exhausted.

The stress index in this study conducted in July 2011 (after three months of constantly rising levels of radioactivity in the air) therefore responded with negative values on renewed contact with pitchblende (with microwave irradiation the value was minus 105%; as a result of stimulation by pitchblende it was minus 20%). Because the **MASTER CHIP** equalises all disharmonic vibrations with human ones, man`s vibrations are returned to the original level. Here this was expressed as a 35% rise in the stress index.

This also demonstrated that the human organism had already responded to the altered conditions of radioactivity in the air and the soil.



Manfred Doepp, MD  
Holistic Center®

7 July 2011

Note:

Manfred Doepp, MD, is a reviewer for the following organisations:

- International Society on Systemics, Cybernetics and Informatics
- International Society on Computer, Communication and Control Technologies

**For further information**  
[www.fostac.ch](http://www.fostac.ch) (click here)